

UTILITY PATENT APPLICATION  
UNDER 37 CFR 1.53(b)

ASSISTANT COMMISSIONER FOR PATENTS  
Washington D.C. 20231

Case Docket No. 4495-001

Sir:

Transmitted herewith for filing is the patent application of:

INVENTOR: Shigefumi Wada, Shigeru Nakayama, Shigekazu Kurozu and  
Tomohisa Takahashi

FOR: A BASIC-ADMINISTRATIVE-TASKS SOFTWARE PROGRAM AND A METHOD OF  
SELLING SAME

Enclosed are:

- [X] 27 pages of specification, claims, abstract
- [X] Declaration & Power of Attorney
- [x] Priority Claimed
- [ ] Certified copy of \_\_\_\_\_
- [X] 8 sheets of formal drawing
- [X] An assignment of the invention to OBIC Business Consultant Co., Ltd. and the assignment recordation fee
- [X] Return Receipt Postcard
- [ ] Information Disclosure Statement, Form PTO-1449
- [ ] Copies of IDS Citations
- [x] Preliminary Amendment

The filing fee has been calculated as shown below:

(1) FOR	(2) NO. FILED	(3) NO. EXTRA	(4) RATE	(5) AMOUNT
TOTAL CLAIMS	11	-20	0	x \$18.00 = \$0.00
INDEPENDENT CLAIMS	2	-3	0	x \$78.00 = 0.00

MULTIPLE DEPENDENT  
CLAIM(S) (If applicable) + \$260.00 = 00.00

BASIC FEE \$ 690.00

Total of above calculations= \$690.00

[x] Assignment & Recording Fee \$40.00

TOTAL FEE \$690.00

[X] Charge Visa card (form attached) in the amount of \$ 730.00.  
A duplicate copy of this sheet is enclosed.

[X] The Commissioner is hereby authorized to charge payment of  
the following fees associated with this communication or  
credit any overpayment to Deposit Account No. 07-1337. A  
duplicate copy is enclosed.

- [X] Any additional filing fees required under 37 CFR 1.16.
- [X] The Commissioner is hereby authorized to charge payment of following fees during the pendency of this application or credit any overpayment to Deposit Account No. 07-1337. A duplicate copy of this sheet is enclosed.
- [X] Any patent application processing fees under 37 CFR 1.17.
- [X] Any filing fees under 37 CFR 1.16 for presentation of extra claims.

LOWE HAUPTMAN GOPSTEIN  
GILMAN & BERNER, LLP

*Kenneth M. Berner*

Kenneth M. Berner  
Registration No. 37,093

1700 Diagonal Road, Suite 310  
Alexandria, Virginia 22314  
(703) 684-1111 KMB:jad  
**Date:** September 22, 2000

09667802-092200

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :  
Shigefumi Wada, et al. :  
Serial No. : Group Art Unit:  
Filed: Herewith : Examiner:  
For: A BASIC ADMINISTRATIVE-TASKS SOFTWARE PROGRAM AND A  
METHOD OF SELLING SAME

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents  
Washington, D. C. 20231

Sir:

Prior to examination of the above-identified application,  
please amend the application as follows.

IN THE CLAIMS

Claim 3, line 1, delete "or 2".

Claim 4, line 1, delete ", 2 or 3".

Claim 6, line 2, delete ", 2, 3, 4 or 5".

Claim 10, line 2, delete "or 9".

REMARKS

Claims 3, 4, 6 and 10 have been amended to eliminate the multiple dependency thereof.

Entry of this Preliminary Amendment is respectfully requested and deemed in order. Allowance of the application is solicited.

Respectfully submitted,

LOWE HAUPTMAN GOPSTEIN GILMAN & BERNER, LLP

*Kenneth M. Berner*

Kenneth M. Berner  
Registration No. 37,093

1700 Diagonal Road, Suite 310  
Alexandria, Virginia 22314  
(703) 684-1111 KMB:jad  
**Date:** September 22, 2000

Facsimile: 703-518-5499

09667502 1023300  
0023240 20020920

A Basic-Administrative-Tasks Software Program and  
a Method of Selling Same

BACKGROUND OF THE INVENTION

5           Field of the Invention

          This invention relates to a software program for performing a company's  
(hereinafter sometimes "user-company") basic administrative tasks (hereinafter  
"basic tasks" or "tasks"), and a method of selling such a program, which comprises a  
primary software program that performs such tasks and that includes a set of  
10       databases for maintaining data relating to those tasks, with said programs to be sold  
by a plurality of retailers and to be purchased by user-companies that can  
immediately use the program after installing it in a computer.

Description of the Prior Art

          There are certain common basic administrative tasks that must be performed  
15       by all companies, even though the columns of business of the companies differ. Such  
basic tasks include, for example: accounting tasks relating to income and  
expenditures, such as costs associated with doing business; sales/purchases-related  
tasks for recording and managing data concerning the sales of the company's  
products or services, customers to which merchandise or services are provided, and  
20       purchase orders to suppliers from which materials or services are obtained; and  
worktime/wages-related tasks involved in managing wage calculations and payments  
to the company's employees.

          The aforementioned basic tasks of companies have enormously high

commonality with regard to the items to be recorded and managed by each company, as well as to the methods of processing such items, even though the business styles or business fields of the companies differ. Such basic tasks account for most of the processing work of a company, and they are performed every day, week after week  
5 and month after month. Therefore, such basic tasks are especially suitable for the mass-processing, precision, and speediness that is possible by using computers.

The present basic-tasks program comprises a graphical user interface (GUI) and a relational-database management system that has a high-speed searching/sorting function for keeping up with the progress of a personal computer and the computer's  
10 operating system. The subject program also is capable of being used with a network, which is the usual circumstance when a company's resource data is being prepared.

Because the basic-tasks program is developed by a software company whose personnel who are professionals in such fields as financial accounting, wage calculation, sales/purchases management, and systems engineering, it is designed to  
15 be ideal for processing a user-company's basic tasks. Use of such an ideal task-management program can improve the management of companies, particularly small and medium-size companies, which often experience difficulty in securing personnel, and venture companies that are involved in starting up new businesses.

However, prior basic-tasks programs have had problems in that they could  
20 not cover either special management items that correspond to specific business fields or management items and methods for realizing a novel tasks-management means based on management concepts that differ among companies. Therefore, the utilization of basic-tasks programs has been limited to companies having a history of applying their own management systems. In order to develop the application  
25 programs into which such a company's unique management system can be integrated, a large amount of money and period have been required, because development steps

such as analysis of the existing system, design of a new overall system, detailed design of a database and processing procedures, programming, and testing and debugging have been needed. Also, small and medium-size companies have had additional difficulties in that a longer period of development and higher costs were  
5 required for such companies, because they had to contract out the development work to outside software-developing companies, inasmuch as such companies could not secure professionals such as system engineers and programmers, and hence the development work could not be done within the company.

To solve the above-mentioned problems, it is necessary for a basic-tasks  
10 program to serve as a basic program that can perform a company's basic administrative tasks in order to achieve their intended effects, but also for the program to be such that there can be developed and operated a separate application program for processing additional data in a way that is compatible with the processing of the company's data by the basic-tasks program.

15 However, because the basic database and other features of the prior basic-tasks programs could not be customized to be compatible with the application programs that were developed by companies to handle their unique requirements, the use and value of such basic-tasks packages were severely limited.

## 20 PROBLEMS TO BE SOLVED BY THE INVENTION

This invention has been created in view of the above-mentioned problems. Its objectives are to provide a customizable basic-tasks program, the customization rules of which are publicized, and to enable sales of such programs to companies and distribution of the customized application in the market.

25

## MEANS OF SOLVING THE PROBLEMS

For the purpose of solving said problems, the basic-tasks program of the present invention consists of

5 a module for writing data to tables in order to generate an application program that can process data under both customized and noncustomized conditions contained in a particular data table of a task program, when data is entered into the tables of a database from a computer terminal, with said module for writing data being equipped with a primary means for automatically creating, in a given path of a server computer, a default dump file, under a given filename, that includes all of the  
10 information to be contained in the database associated with the tasks, when said task program is launched, and

a (DLL) Dynamic Link Library file for dividing the data entry for each task of said task program into two conditions, the first condition being whether the data is to be or not to be customized, and the second condition being whether the various  
15 data, including data concerning a task-related slip and detailed data regarding the task relating to the slip, involves an entry of new data or a revision or deletion of existing data, and for storing a data writing/processing functions group for each combination of the two conditions, with the default dump file being created under a given filename in a given path from said terminal by said primary dump-file-creating  
20 means, and with columns being added to an original table comprising the default dump file, or with new tables being created if custom writing is desired, and the function is called up for each table of said various data-writing processings so as to create an application program, whereby said database is modified by said data processing.

25 Furthermore, said data writing/processing functions groups have arguments in which at least a target-database name, data to be entered, a serial number, and an



identification number are entered, and the customized writing functions have arguments consisting of the additional data and the additional style formats for inputting the additional information.

- 5 Plural terminals are provided, and said module for writing data for maintaining the matching of data in the simultaneously executed entries includes a simultaneous-executions control program for performing exclusive control of each execution unit.

Said basic tasks includes at least any one of the following: accounting tasks, sales/purchases-related tasks, and worktime/wages-related tasks.

- 10 The company's resource data that is stored in said group of databases comprises a group of master tables and a group of data tables required for executing at least any of three administrative tasks: accounting tasks, sales/purchases-management tasks, and worktime/wages-related tasks. Said group of master tables comprises at least any of the following tables for a company's basic list of master
- 15 files: a master list of account titles, a master list of customers, a master list of merchandise, and a master list of personnel, and said data-table group comprises at least tables for a variety of slip data, such as data from accounting-journal slips, sales slips, and purchase slips.

- 20 With the method for selling the basic-tasks package or/and a module for writing data as described in Claim 1, 2, 3, 4, or 5, a retailer adds columns or new tables to original tables if a user-company uses a computer system and requests customization of the tasks-related databases, accesses the data writing/processing function corresponding to the customized conditions, including conditions as to whether new data is being entered, previously entered data is being revised, or
- 25 previously entered data is being deleted from said data writing/processing functions group on the basis of the specific task of said various data entry/processing

operations, enters the name of a writing-target database, the basic data to be entered, a serial number, an identification number, additional data, and a style format for the additional data in terms of the arguments of the selected function, and generates an application program for writing, by batch processing, to the database according to the table unit. The application program is sold by a plurality of retailers as an attachment to the basic-tasks program.

With the method for selling the basic-tasks program or a module for writing data as described in Claim 6, a user-company or its retailer collects information relating to applications developed by performing customization, stores that information in a database, and publicizes that information on the software company's Website. Such information can be accessed from said database when another user-company wants to perform similar customization.

In a computer equipped with a basic-tasks program comprising plural task programs for executing company tasks and a relational database-storage/processing device comprising a database group for storing the company's resource data required for said task programs. Said basic-tasks program is equipped with a module for entering data into tables so as to generate an application program that can process data under both customized and noncustomized conditions according to the table unit of said task program when the general-purpose data is entered into said database from the terminal of the company's computer system, and said module for entering data is equipped with at least a DLL file for storing a data-accepting/processing functions group corresponding to the customized conditions that the data-accept processing is custom-written or not according to the table of each task program. An application batch program is produced by using said data-accepting-functions group of said module for entering data that corresponds to the customized condition of each table in the database when said general-purpose data text file is processed, and said application batch program is operated so as to sequentially and continuously enter

the data into the database.

Said data-accepting/processing functions groups have arguments into which are entered at least the name of the target database, the full path to the text file of the general-purpose data, the full path of a log-file creating target, a slip number, and an identification character, and the format is additionally set as a program when additional columns exist in the data of the text file.

In a method for selling a basic-tasks program or a module for entering data described in Claim 8 or 9, a user-company's retailer selects the data-accepting function corresponding to the customized conditions that apply when a user-company uses a computer system and wants to enter general-purpose data into the database from the terminal, writes at least the name of the target database, the full path to the text file of the general-purpose data, an identification number, and the format of the additional columns at the time of being customized in the arguments of the accepting function. The retailer then creates and tests an application batch program that is then sold at a plurality of retailers as an attachment to the basic-tasks program.

Also, in the method for selling the basic-tasks program or module for entering data described in Claim 10, said user-company or its retailer collects the information about the application program that was developed by customization, stores that information in a database, and publicizes that information on the software company's Website. That information can be accessed from said database when another user-company wants to perform a similar customization.

#### DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of one embodiment of the present invention,

showing a basic-tasks processing device using the basic-tasks program.

FIG. 2 is a flowchart showing data entry requiring customization with a module for writing data of the present invention

FIG. 3 is a flowchart of general-purpose text-data processing using a module  
5 for entering data of the present invention.

FIG. 4 (1) shows a sales-slip data writing/processing functions group (in the case of a new sales slip to be entered/registered) of the present invention and (2) shows a list of the group's arguments.

FIG. 5 (1) shows a sales-slip functions group (in a case of data being revised  
10 or deleted), (2) shows a list of the group's arguments, (3) shows the sales-slip deletion function and (4) shows a list of the sales-slip functions group's arguments.

FIG. 6 shows one embodiment of sales-slip-head data required for initial entry/registration or revision of sales-slip data.

FIG. 7 shows one embodiment of sales-slip detailed data required for initial  
15 entry/registration or revision of sales-slip data.

FIG. 8 shows one embodiment of an application program for database writing by using the data writing/processing function of the present invention.

## A DETAILED DESCRIPTION OF THE INVENTION

### The Embodiment of the Invention

  
20

FIG. 1 is a block diagram of one embodiment of the present invention, showing a basic-tasks processing device 100 (a computer system of a user-company)

that is used to operate the basic-tasks processing program 10. FIG. 1 also shows computer terminals 1 and 2, a database-storage/processing device 4, a local area network (LAN) 5, and a server computer 6.

Computer terminals 1 and 2 are controlled by a commercial operating system (OS) and are used to operate the basic-tasks processing program 10 after it has been installed in the basic-tasks processing device 100, as shown in FIG. 1.

In the embodiment of the present invention, the basic-tasks program 10 includes at least a sales/purchases-tasks program 11, a financial-accounting-tasks program 12, and a worktime/wages-related tasks program 13, as well a customizable data writing/processing software module 20 that ensures that data being input from a computer terminal 1 will be compatible with the tables of the databases into which the data is being input and that are stored in the database-storage/processing device 4.

The data writing/processing software module 20 comprises data writing/processing functions groups 20a that corresponds to each of the task programs to be operated under either customized or noncustomized conditions; a simultaneous-executions limiting means 20b, for maintaining compatibility in the case of simultaneous executions by each table unit; and a primary dump-file-creating means 20c that, at the time of starting up of a task program, automatically creates, under a given filename, a default dump file that will include all of the information contained in the database related to the task in a given path of the server computer.

In addition to the computer terminal 1, there is a computer terminal 2 that is equipped with a data-accepting/processing module 30 for accepting general-purpose data (text data).

The data-accepting/processing module 30 is equipped with at least a data-

accepting/processing functions group 30a corresponding to both the customized and noncustomized conditions, depending on the particular table unit.

5 A hard-disk drive or floppy-disk drive reads general-purpose data, namely text data, that is being input, and the data is stored on applicable hard disk or floppy disk 1a.

A database group in the database-storage/processing device 4 is controlled by a database-device control program 61 in the server computer 6.

10 In such a case, tables 41a, 41b, and so on are contained in a sales/purchases database 41; tables 42a, 42b, and so on are contained in an accounting database 42, and tables 43a, 43b, and so on are in a worktime/wages-related database 43.

There also can be provided other task-management database groups in addition to the task-management databases 41, 42, and 43. In such a case, a data writing/processing function that is appropriate for the additional tasks program(s) is added to the data-writing/processing functions group 20a.

15 Next, the operation of the basic-tasks program 10 of the present invention using the basic-tasks processing device 100 will be described, based on the flowchart in FIG. 2.

20 First will be described the data-entry process using a computer terminal 1 or 2 in a case where the basic-tasks program 10 is equipped with the data writing/processing software module 20.

The tasks program 11 (12) (13) for performing a company's basic tasks that are to be executed is launched (S21). At that time, the primary dump-file creating means 20c of the data writing/processing software module 20a creates, under a given filename, a default dump file in a given path of the database-storage/processing

device 4 in the server computer 6.

Then, the table 41a (42a) (43a) of a database comprising the default dump file is used as an original table in a core region, and the table 41b (42b) (43b) for writing customized data is generated in an region other than a memory region. Also,  
5 customization is performed by adding columns to the original table in the core hard disk (S23).

In the tasks program 11 (12) (13), the data writing/processing functions group that corresponds to the customized or noncustomized conditions, along with any condition(s) relating to the entry of new data or to the revision or deletion of existing  
10 data, are accessed by each file from the data writing/processing functions group 20a in a DLL file of the data writing/processing software module 20 (S24).

Next, the name of the target database, an entry-data serial number, an identification number, additional-columns data, the style format of the additional-columns data, and the like are input in arguments of the data writing/processing  
15 functions group 20a, and an application program for batch processing is created (S25).

The application is operated from the computer terminal 1 (2), and data is sequentially entered in the original-columns data and the additional-columns data of each table, or in a new table 41b (42b) (43b) in the database.(S26).

Furthermore, for the purpose of maintaining the compatibility of the data entered simultaneously from plural terminals, the data writing/processing software module 20 includes a simultaneous-executions control means 20b (simultaneous-executions control program) for performing exclusive control of each execution unit.

Said database groups 41, 42, 43, and so on are divided into a group of  
25 master tables and a data-table group. The group of master tables comprises at least

tables for a company's basic list of master files, a master list of account titles, a master list of customers, a master list of merchandise, and a master list of personnel, a master list of management personnel, and the like. The data-table group comprises tables of information relating to various slips such as journal vouchers, sales slips,  
5 purchase slips, price quotes, contracts, and purchase orders for product-component materials.

Also, a tasks program 11 relating to sales/purchases tasks processes a variety of slips relating to sales, orders received, payments for orders, purchases, orders placed, payment for purchases, production, transfers from warehouses for deliveries,  
10 and so on. The slip data comprises a head part and a details part, such that data conditions can be customized or not customized in four ways: (1) both the head part and the details are customized; (2) only the head part is customized; (3) only the details part is customized; and (4) neither the head part nor the details part is customized. A corresponding data writing/processing functions group 20a is created  
15 for each of these four alternatives.

Because the data writing/processing functions group 20a is installed in a DLL file, the use of the application produced by using that file prevents unnecessary operations, thereby increasing the speed of data entry/processing.

Next, a detailed embodiment of the data writing/processing functions group  
20 20a as shown in FIG. 4 will be described.

FIG. 4 and FIG. 5 show embodiments of the data writing/processing functions group 20a relating to the aforementioned sales slips in the sales/purchases-tasks program 11.

FIG. 4 shows a new-sales-slip registering-functions group (a) in the sales-slip-writing functions group 20a in a case of new registration into the database 41.  
25



As described above, because the sales slip is divided into a head part and a details part, it includes a functions group that consists of the four categories of customized/noncustomized conditions. Each argument is different, corresponding to the condition. In addition, separate functions groups are provided for relay slips, which relay data from received-order slips to sales slips, and for a sales slip other than a normal slip, such as a consumer-tax slip in the case of a sale that is subject to a consumption tax or sales tax.

FIG. 5 shows a sales-slip revision-registering functions group (b) and a sales-slip-deleting functions group (c).

FIG. 6 shows slip-head data (A) and (that are B) required for the registration of a new sales slip and for revision of an already registered sales slip. The data is designed to be designated in an argument (3), as shown in the Factor List on FIG. 4 (2).

The slip-head data (A) in FIG. 6 is entered only at the time of registering a new sales slip. A system number, a slip number, and other data become identification characters for determining into which tables the data, including customized data, is to be entered.

FIG. 7 shows a sales-slip's detailed data (C) that is designed to be assigned to the slip-head data of FIG. 6, which is designated in Factor (7).

The detailed data (C) is entered in a form that is to be repeated in each line of detailed data.

FIG. 8 shows how an application program for database writing is produced using the above writing functions.

In this embodiment, "DO4\_ERP\_Wrt1" is used for the writing function, and

columns are added to both the head and details parts of the sales slip, and a normal slip is used in the new-sales-slip registering function.

Therefore, the arguments are input into all (1-10) arguments of the list of arguments. Also shown in FIG. 8 is a structure for storing data relating to an additional style of the arguments (5) and (9) and a structure for storing information after the data has been designated in the argument (10).

Next, a method of selling said basic-tasks program 10 or said data writing/processing software module 20a will be described.

With this method, when a user-company uses a computer system and requires customization in order to add tables or columns of tables to a database from a terminal, said retailer (1) loads a primary dump file while providing a given file name for that dump file, (2) creates both additional tables for customization as a customizing region in a memory region of the database and additional columns in the original table, (3) accesses the data writing/processing function that corresponds to the customized conditions and any of the new, revision, or deletion conditions in data processing from said data writing/processing functions group by each table of various data entries/processings based on the module, and (4) creates an application program for repeating the entry/processing of the name of a targeted database, a data serial number, an identification number, additional data and the style format thereof to the arguments of the selected data writing/processing function by each table, and for writing the data to the database by batch processing. The application is sold by retailers as an attachment to the basic-tasks program 10 or the data processing software module 20a.

In addition, the user-company or its retailer collects the information related to the application program that has been developed by customization, stores that information in a database, and publicizes information about that application program

on the software company's Website. As a result, there can be constructed a system whereby that information can be accessed from said database when another user-company wants to customize its software program in a similar way. As a result, the other user-company can reduce its program-development time and also minimize the costs of development .

Next, the operation of general-purpose text data writing/processing will be described, based on FIG. 3.

As described above, the terminal 2 is equipped with a data-accepting/processing module 30 for entry/processing of general-purpose data, namely text data. The operation of data writing/processing will be described below.

First, the task program 11 (12) (13) is installed in the terminal 2 (S31). Next, a default dump file is created under a given filename in a given path of the database-storage/processing device 4 in the server computer 6 by the primary dump-file creating means 20c of the data writing/processing software module 20 (S32).

Next, the table 41a (42a) (43a) in the database comprising the default dump file is used as an original table in a core region, and a data-writing/processing table 41b (42b) (43b) into which customized data has been written is generated in an region other than its memory region. Also, customization is performed by adding columns to the original table in the core region (S33).

The general-purpose text data that is desired to be entered into the database is entered by the hard-disk drive or floppy-disk drive onto the applicable hard disk or floppy disk 1a (S 34).

A data-accepting/processing function corresponding to the customized condition(s) in the tasks program 11 (12) (13) is accessed from the data-accepting/processing functions group 30a of the DLL file of the data-

accepting/processing module 30 on a file-by-file basis (S35).

The name of the target database, the full path of the text data (which, in this embodiment, is entered on the hard-disk drive or floppy-disk drive 1a), the style format of the additional columns, and other data are input into the arguments of the data-accepting/processing function group 30a on a file-by-file basis, so as to create a database-writing application program (S36).

The application program is operated from the computer terminal 2 and performs batch processing whereby the text data is written to the database (S37).

As described above, because the data-accepting/processing function group 30a corresponding to the customized condition is selected and used in advance of the batch processing, the above-mentioned batch processing can be effectively performed and the data-entry operation can be performed at a high speed.

Next, there will be described a method for selling the aforementioned customized batch-processing application program as an attachment to said basic-tasks program 10 or the data-accepting software module 30.

With this method, when a user-company uses a computer system and wants to enter general-purpose data into the database from a terminal, the retailer selects the accepting function that corresponds to the customized condition from an accepting-functions group of said data-accepting software module 30, creates a batch-processing application program by entering at least the name of the target database and the format of the additional columns when data is being customized, and then tests that application program, which is later is sold via retailers as an attachment to the task program or the data writing/processing module.

Also, information relating to the application developed as described above is collected and stored in a database, and information regarding the content of that

database is publicized on the software company's Website. As a result, there can be created a system whereby another user-company can use the information by accessing it from the database when that company wants to customize the application.

5           Effects of the Invention

The present invention's basic-tasks software program and the method of selling the program have the following effects.

1. The basic-tasks program is equipped with a module for writing data that enables data to be entered into a database, and the basic-tasks program can easily  
10   customize database tables while maintaining compatibility between the tables. In addition, the data writing/processing can be performed at high velocity.

2. The basic-tasks program can also easily batch process the externally generated general-purpose text data that is entered by the data-writing/processing module, and the basic-tasks program also can easily be customized.

15       3. A data-writing/processing function corresponding to each task program and the customized condition(s) thereof is created for the data-writing/processing module, and, as a result, data writing/processing can be efficiently performed.

4. A data-accepting/processing function corresponding to each task program and the customized condition(s) thereof is also prepared for the data-  
20   writing/processing, and, as a result, data-accepting/processing can be effectively performed.

5. When a data-writing/processing module or a basic-tasks program for such a module is sold, the retailer creates an application program that meets the user-company's request and that corresponds to the unique customization that is required

for the user-company. The retailer can sell that application program as an attachment to the module for writing data or basic-tasks program. This is an effective selling method for the retailer.

6. Similar to Effect 5, when a data-accepting/processing module is sold,  
5 because the retailer can create an application program that meets the user-company's request or desire and that corresponds to the unique customization that is required for the company and can sell that application program as an attachment to the data writing/processing module, this is an effective selling method for the retailer.

7. Also, if the information relating to customized applications is collected  
10 and stored in a database, and if a list of various customized applications is publicized on the software company's Website, another company that uses that type of information can minimize the development time and costs involved in creating a similar customized application program.

WHAT IS CLAIMED IS:

1. A basic-tasks software program that includes a module for writing data to tables so as to generate an application program that can compatibly be utilized with both customized or noncustomized conditions according to the table units of task programs at the time of entering data into the table of a database from a computer terminal, with the basic-tasks program characterized such that

said module for writing data is equipped with

- at least a means for creating a primary default dump file that automatically includes all of the information contained in a database associated with the basic tasks when said tasks program is launched, and

- a dynamic link library (DLL) file that divides write-processings according to each task of each task program into at least two conditions: the first condition being whether to be or not to be custom-written, and the second condition being whether the data being entered is new data, a revision of previously entered data, or a deletion of previously entered data, including slip-head data and detailed slip data; and that stores one data writing/processing functions group for each possible combination of the two conditions;

- a default dump file is created under a given filename by said means for creating a primary dump file from data entered at the aforementioned terminal in a given path;

columns are added to an original table that consists of the default dump file, or new tables are created when customization is desired;

an application program is generated so as to perform data writing/processing into a database by a function that is accessed on a table-by-table basis;

in a computer system equipped with

a basic-tasks program comprising plural tasks programs for executing a company's basic administrative tasks,

and a relational-database-storage/processing device containing a  
5 group of databases in which are stored the user-company's resource data that is required for each task program.

2. A basic-tasks program according to Claim 1, and characterized such that

said data writing/processing functions groups have respective arguments in  
10 which at least the name of a target database, the data to be entered, a serial number, and an identification character are designated,

and the customized data writing/processing function also has both arguments relating to additional data and an additional style format according to which the additional information is entered.

15

3. A basic-tasks program according to Claim 1 or 2, and characterized such that

said computer terminals are plural and said module for writing data for maintaining compatibility of the entered/processed data simultaneously includes a simultaneous-executions control program for performing exclusive control of each  
20 execution unit.

4. A basic-tasks program according to Claim 1, 2 or 3, and characterized such that



said basic tasks include at least one of the following: accounting tasks, sales/purchases-related tasks, and worktime/wages-related tasks.

5. A basic-tasks program according to Claim 4, and characterized such that

5 the resource data of the company stored in said database group comprises

at least a group of master tables and

a group of data tables that are required for executing any of said three administrative tasks: accounting tasks, sales/purchases-related tasks, and worktime/wages-related tasks,

10 said group of master tables comprises at least any of the following tables for a company's basic list of master files: a master list of account titles, a master list of customers, a master list of merchandise, and a master list of personnel;

and said data-table group comprises at least tables for a variety of slip data, such as data from accounting-journal slips, sales slips, and purchase slips.

15

6. A method for selling a basic-tasks program or/and a module for writing data according to Claim 1, 2, 3, 4 or 5, and characterized such that

a retailer

20 adds columns or new tables to original tables if a user-company uses the computer system and requests customization of the database,

accesses the data writing/processing function corresponding to specified customized conditions, including conditions as to whether new data is

being entered, previously entered data is being revised, or previously entered data is being deleted from said data writing/processing functions group on the basis of the specific task of said various data entry/processing operations,

- designates the name of a target database, the data to be entered therein, a  
5 serial number, an identification number, additional data, and the format for the additional data in arguments of the selected data-writing/processing function,

and generates an application program for writing, by batch processing,  
to the database according to the table unit,

- and the application program is sold by said retailers as an attachment to the  
10 basic-tasks program.

7. A method for selling a basic-tasks program or a module for writing data according to Claim 6, and characterized such that

- said user-company or its retailer collects the information relating to the  
15 application program that has been developed by customization of the basic-tasks program, stores it in the database, and publicizes the information about the application program on the software company's Website,

and the information can be accessed from said database when another user-company wants to perform similar customization.

20

8. A basic-tasks program equipped with a module for entering data into tables so as to generate an application program that compatibly operates with both customized and noncustomized conditions according to the table unit of said task program when

general-purpose data is entered into said database from a terminal of said computer system, and characterized such that

said module for entering data is equipped with at least a DLL file for storing the data-accepting/processing functions group that corresponds to the  
5   aforementioned customized conditions;

the data being entered is custom-written or not, according to the table of each task program;

an application batch program is generated by using the module for entering data's data-accepting/processing functions group that corresponds to the customized  
10   conditions of each table in the database when said general-purpose data text file is entered and processed,

data is sequentially and continuously written and entered into the database by operating the batch-processing program in a computer equipped with a basic-tasks program comprising plural task programs for executing a company's basic  
15   administrative tasks and a relational database-storage/processing device comprising a group of databases that are used for storing the company's resource data that is required for each task program.

9. A basic-tasks program according to Claim 8, and characterized such that

20   said data-accepting/processing functions have respective arguments in which are designated at least the name of a target database, the full path to the text file of the general-purpose data, the full path of a log-file-creating target, a slip number, and an identification character, and a format is additionally set when columns containing data in addition to basic data   exist in the data of the text file.

10. A method for selling a basic-tasks program or a module for entering data according to Claim 8 or 9, and characterized such that

- when a user-company uses a computer terminal of a computer system and
- 5 requests to store data from the general-purpose data in a database, its retailer (1) selects the data-accepting/processing function that corresponds to the customized condition from an accepting-functions group of said module for entering data, (2) generates an application batch program by writing into the arguments of the data-accepting function at least the name of a target database, the full path to the text file
- 10 of the general-purpose data, an identification number, and a format for the additional columns if the data is being customized, and (3) tests the application program,

and the application program is sold by said retailer as an attachment to the task program.

- 15 11. In the method for selling a basic-tasks program or a module for writing data according to Claim 10, the selling method for a basic-tasks program is characterized such that

- said user-company or its retailer collects information related to the application program that has been developed by customization, stores that
- 20 information in a database, and publicizes that information about the application program and database on the software company's Website,

and said information can be accessed from said database when another user-company wants to perform a similar customization.

## EXPLANATION OF NUMBERS IN DRAWINGS

- 1, 2 computer terminals
- 1a hard-disk or floppy-disk
- 5 4 database storage/processing device
- 5 local area network (LAN)
- 6 server computer
- 10 basic-administrative-tasks processing program
- 11 sales/purchases-tasks program
- 10 12 financial accounting-tasks program
- 13 worktime/wages-related tasks program
- 20 data-writing/processing module
- 20a data-writing/processing functions group
- 20b simultaneous-executions limiting means
- 15 20c primary dump-file creating means
- 30 data-accepting/processing module
- 30a data-accepting/processing functions group
- 41 sales/purchases-management database
- 41a, 41b, and so on tables

42 financial-accounting database

42a, 42b, and so on tables

43 worktime/wages-related database

43a, 43b, and so on tables

5 61 database-device control program

100 computer system (basic-tasks processing device)

002260-2087960

## ABSTRACT

- To provide a module for data writing/processing into a database in a manner so as to maintain compatibility of data between tables, even when customized data is included in a table. The module for writing data is equipped with both a data
- 5 writing/processing functions group corresponding to the customization, and a writing means for simultaneously updating both a customizing region and a core region in the database memory on a disk.

03667802, 092200

FIG. 1

A Processing Device Using the Basic-Administrative-Tasks Software Program






FIG. 2




FIG. 3




FIG.4

## (1) Sales-Slip Data Writing Function (new sales slip)

New-registering function of a sales slip (a)

Kind of function (the number of an argument list is shown inside of the brackets)

	normal slip	relay slip	consumer-tax slip
Case where columns are added to both the head part and details part of the slip.	D04__ERP__Wrt1 【①②③④⑤⑥⑦⑧⑨⑩】	D04__ERP__RelayWrt1 【same as left】	D04__ERP__TaxWrt1 【①②③④⑤⑥⑦⑧⑨⑩】
Case where columns are added to only the head part of the slip.	D04__ERP__Wrt2 【①②③④⑤⑥⑦⑧⑨⑩】	D04__ERP__RelayWrt2 【same as left】	D04__ERP__TaxWrt2 【①②③④⑤⑥⑦⑧⑨⑩】
Case where columns are added to only to only the details part of the slip.	D04__ERP__Wrt3 【①②③④⑤⑥⑦⑧⑨⑩】	D04__ERP__RelayWrt3 【same as left】	D04__ERP__TaxWrt3 【①②③④⑤⑥⑦⑧⑨⑩】
Case where no columns are added.	D04__ERP__Wrt4 【①②③④⑤⑥⑦⑧⑨⑩】	D04__ERP__RelayWrt4 【same as left】	D04__ERP__TaxWrt4 【①②③④⑤⑥⑦⑧⑨⑩】

## (2) List of the Group's Arguments

	argument	content	notes
①	ByVal strDBNM As String	name of target database	hdt0001~hdt1000
②	ByVal intnpChk As Integer	whether the content of items not to require inputting is checked or not	0: Yes 1: No
③	ByVal strOBC__H_Data As String	slip-head data	
④	ByVal strH__Add_Data As String	slip-head additional data	To be set according to the information concerning the order and length of the argument ⑤
⑤	ByRef udtH__Add_Form() As COLUM__FORM__W	a slip head/an additional style	Contents are COLUM__FORM__W x the number of additional columns
⑥	ByVal intMeiGyoSu As Integer	the number of writing detailed columns	1~99
⑦	ByVal strOBC__M_Data As String	sales-slip detailed head data	
⑧	ByVal strM__Add_Data As String	slip-details additional data	To be set according to the information concerning the order and length of the factor ⑨
⑨	ByRef udtM__Add_Form() As COLUM__FORM__W	slip details additional style	Contents are COLUM__FORM__W x the number of additional columns
⑩	ByRef udtRetData As RET__DATA	for storing the serial number and the slip number of the registered slip	To be set on a DLL side at the time of normal slip registration

FIG.5

(1) Sales-Slip-Registering Function (revision and deletion of sales slip)

Sales slip revision registering function (b)

Kind of function (inside of the bracket shows number of a argument list)

	normal slip	relay slip	consumer tax slip
Case where columns are added to both the head part and details part of the slip.	D04__ERP__ReWrt1 【①②③④⑤⑥⑦⑧⑨⑩】	D04__ERP__RelayReWrt1 【same as left】	D04__ERP__TaxReWrt1 【①②③④⑤⑥⑦⑧⑨⑩】
Case where columns are added to only the head part of the slip.	D04__ERP__ReWrt2 【①②③④⑤⑥⑦⑧】	D04__ERP__RelayReWrt2 【same as left】	D04__ERP__TaxReWrt2 【①②③④⑤⑥⑦⑧】
Case where columns are added to only to the details part of the slip.	D04__ERP__ReWrt3 【①②③⑥⑦⑧⑨⑩】	D04__ERP__RelayReWrt3 【same as left】	D04__ERP__TaxReWrt3 【①②③⑦⑧⑨⑩】
Case where no columns are added.	D04__ERP__ReWrt4 【①②③⑥⑦⑩】	D04__ERP__RelayReWrt4 【same as left】	D04__ERP__TaxReWrt4 【①②③⑦⑩】

(2) Argument list

	argument	contents	notes
①	(same as the new registering function for a slip)		
②			
⑩	ByVal strTosiNo As Strings	serial number of a slip to be revised	Fixed at the length 10

(3) Sales slip deleting function (c)

Kind of function (inside of the bracket shows the number of a argument list)

	normal slip	relay slip	consumer-tax slip
all cases	D04__ERP__Del 【①②】	D04__ERP__RelayDel 【same as left】	D04__ERP__TaxDel 【same as left】

(4) Argument list

	argument	contents	notes
①	ByVal strDBNM As String	name of target database	hdt0001~hdt1000
②	ByVal strTosiNo As String	the serial number of the slip to be revised	Fixed at the length 10

002260 2002.092200

FIG.6

Sales-slip--- Head Data Required for Initial Entry or Revision of Sales-slip (set in the argument ③)

A. Data related to setting (set at a front of the header data)

\*set only at the time of new registration (started from B at the time of revision)

	item	setting contents	length
1	system number(setting)	0: not exist 1: exist	1byte
2	slip number(setting)	0:month's serial number 1:year's serial number 2:manual input	1byte
3	serial number information writing	0:Yes 1:No	1byte

B. Header data(A is set at the front at the time of new registration)

	item	setting contents	length
1	slip division	0: charge sales 1: cash sales 2: credit	1byte
2	sales date	year, month, and day are set by 2 digits	6byte
3	bill date	year, month, and day re set by 2 digits	6byte
4	slip number	0 is set when the slip number does not exist	6byte
5	customer code	codes which does not omitted for displaying	13byte
6	customer information (notification of the tax amount)	0: detailed part unit 1: bill unit 2:tax free 3:slip unit	1byte
7	code of person in charge	4 digits, space when it is not set	4byte
8	abstract name/spot customer name	A spot customer name is set when the customer code is "00000000000000".	30byte
9	code of credit company	To be set when the slip division is "2:credit", otherwise spaced	4byte
10	user name	"domain name≠user name" or "computer name≠user name"	36byte

09667802 092200

FIG.7

Sales-slip---Detailed Data Required for Initial Entry or Revision of  
Sales-slip Data (set in argument ⑦)

C. detailed data (set in a form to be repeated by the number of detailed columns)

	item	setting contents	length
1	sales division	0:sales 1:return 2:discount 3:incidental sales 4:incidental expenses 5:fare 6:abstract 7:consumer tax	1byte
2	merchandise code	codes not omitted for displaying	13byte
3	merchandise name		36byte
4	tax division	0:(tax exemption) 1-9	1byte
5	taxation division	0: tax exclusive 1: tax inclusive	1byte
6	decimal digits of quantity	0~3	1byte
7	decimal digits of unit price	0~2	1byte
8	warehouse number	_0 or space when the warehouse is not set	4byte
9	order number	only 0 is not allowed	9byte
10	arrival number	only whole numbers, 0 is regarded as not inputted	4byte
11	box number	only whole numbers, minus is allowable, 0 is regarded as not inputted, and setting is impossible when the arrival number is not inputted	5byte
12	quantity	quantity does not require setting when the arrival number and the box number are set ([11]×[12] is applied), minus is allowable, and to be inputted by within 8 digits in total including [6.decimal digit of quantity]	8byte
13	unit		4byte
14	unit price(=sales unit price)	space is regarded as 0, and to be inputted by within 9 digits in total including [7.decimal digits of unit price]	9byte
15	unit cost(=sales cost)	space is regarded as 0, and to be inputted by within 9 digits in total including [7.decimal digits of unit price]	9byte
16	sales figure(=sales detailed figure)	[12]×[14] is applied when it is spaced, only whole numbers, and minus is allowable	9byte
17	sales cost(=cost detailed figure)	[12]×[15] is applied when it is spaced, only whole numbers, and minus is allowable	9byte
18	consumer tax	space is regarded as 0, only whole numbers, and minus is allowable	8byte
19	simultaneous processing flag	space/0: not to be simultaneously processed, 1:simultaneous arrival, 2: simultaneous production	1byte

FIG. 8

# Application Program for Writing a Database

```
Public Declare Function DO4_ERP_Wrt1 Lib "DO4ERP.dll" (_
    ByVal strDBNM As String, _
    ByVal intInpChk As Integer, _
    ByVal strOBC_H_Data As String, _
    ByVal strH_Add_Data As String, _
    ByRef udtH_Add_Form() As COLUM_FORM_W, _
    ByVal intMeiGyoSu As Integer, _
    ByVal strOBC_M_Data As String, _
    ByVal strM_Add_Data As String, _
    ByRef udtM_Add_Form() As COLUM_FORM_W, _
    ByRef udtRetData As RET_DATA) As Integer
```

## Structure for storing information of additional columns

```
Public Type COLUM_FORM_W
    StrName As String * 129 ' column name of the data
                             ' (terminal null characters are added)
    IntSQLModel As Integer ' type of the data
    IntSize As Integer ' size of the data (fixed length)
End Type
```

## Structure for storing the information after new registration

```
Public Type RET_DATA
    StrTosiNo As String * 11 ' serial number (terminal null characters are added)
    StrDno As String * 7 ' slip number (end terminal null characters are added)
End Type
```

Docket No.: 4495-006

## DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter claimed and for which a patent is sought on the invention entitled \_\_\_\_\_

~~A Basic-Administrative-Tasks Software Program and a Method of Selling Same~~

the specification of which

☒ is attached hereto

☐ was filed on \_\_\_\_\_

as Application Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is known to me to be material to patentability in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT international application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

**Prior Foreign Application(s):**

Number      Country      Day/Month/Year filed

**Priority Claimed**

Yes      No

000-004643      Japan      13/1/2000

X

I hereby claim the benefit under 35 USC §119(e) of any United States provisional application(s) listed below.

**Prior Provisional Application(s):**

Application Number      Filing Date

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

**Prior U. S. Application(s):**

Serial No.

Filing Date

Status: Patented, Pending, Abandoned

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.



I hereby appoint the following attorney(s) and/or agent(s): Allan M. Lowe, Reg. No. 19,641; Benjamin J. Hauptman, Reg. No. 29,310; Israel Gopstein, Reg. No. 27,333; Kenneth M. Berner, Reg. No. 37,093; Michael G. Gilman, Reg. No. 19,114; Albert J. Fasulo II, Reg. No. 43,607; and Randy Noranbrock, Reg. No. 42,940, all of

LOWE HAUPTMAN GOPSTEIN GILMAN & BERNER, LLP  
1700 Diagonal Road, Suite 310  
Alexandria, Virginia 22314

with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and all future correspondence should be addressed to them.

Full name of sole or first inventor: Shigefumi WADA

Inventor's signature: *Shigefumi Wada*

Date: 10 August, 2000

Residence: c/o OBIC BUSINESS CONSULTANT CO., LTD.

1-1, Nishishinjuku 2-chome, Shinjuku-ku, Tokyo 160-0023 JAPAN

Citizenship: JAPAN

Post Office Address: same as above

Full name of second joint inventor: Shigeru NAKAYAMA

Inventor's signature: *Shigeru Nakayama*

Date: 10 August, 2000

Residence: c/o OBIC BUSINESS CONSULTANT CO., LTD.

1-1, Nishishinjuku 2-chome, Shinjuku-ku, Tokyo 160-0023 JAPAN

Citizenship: JAPAN

Post Office Address: same as above

Full name of third joint inventor: Shigekazu KUROZU

Inventor's signature: *Shigekazu Kurozu*

Date: 10 August, 2000

Residence: c/o OBIC BUSINESS CONSULTANT CO., LTD.

1-1, Nishishinjuku 2-chome, Shinjuku-ku, Tokyo 160-0023 JAPAN

Citizenship: JAPAN

Post Office Address: same as above

Full name of fourth joint inventor: Tomohisa TAKAHASHI

Inventor's signature: *Tomohisa Takahashi*

Date: 10 August, 2000

Residence: c/o OBIC BUSINESS CONSULTANT CO., LTD.

1-1, Nishishinjuku 2-chome, Shinjuku-ku, Tokyo 160-0023 JAPAN

Citizenship: JAPAN

Post Office Address: same as above